
PyQTermWidget Documentation

Release 0.2

Henning Schroeder

Jul 24, 2017

Contents

1	How to use PyTermWidget	3
2	TODO	7
3	How to get it	9
4	Indices and tables	11

Unlike the older pyqconsole this console widget works with PyQt4 and let's you embed a shell into your application. The vt100 terminal emulation code is based on AjaxTerm and WebShell. All code is distributed under the General Public License 2.

Contents:

CHAPTER 1

How to use PyTermWidget


Here is a minimal example:

```
#!/usr/bin/env python
# -*- coding: utf-8 -*-

from PyQt4.QtGui import QApplication
from pyqterm import TerminalWidget

if __name__ == "__main__":
    app = QApplication(sys.argv)
    win = TerminalWidget()
    win.resize(800, 600)
    win.show()
    app.exec_()
```

Look into *demo.py* for a more complete example with a tabbed terminal application.



The constructor has the following signature:

- def __init__(self, parent=None, command="/bin/bash", font_name="Monospace", font_size=18)

The widget has the following methods:

- execute(command="/bin/bash")
- send(string)
- stop()
- pid() -> process id (int)
- zoom_in()
- zoom_out()
- text_selection() -> string
- update_screen()
- is_alive() -> bool
- row_count() -> int
- column_count() -> int
- text() -> string

TerminalWidget inherits directly from QWidget, so it has show, hide, setFont, etc.

The widget emits the following signals:

- session_closed()
- return_pressed()

CHAPTER 2

TODO

- add keyboard shortcuts to switch focus to other widgets
- get screen output as string
- history / scrolling
- mouse selection: triple click (select line)
- keyboard shortcuts to insert from clipboard/xselection
- better rendering speed
- let user deactivate blinking cursor

CHAPTER 3

How to get it

The latest snapshot is available at:

```
https://bitbucket.org/henning/pyqtermwidget/get/tip.tar.bz2
```

To clone the Mercurial repository do:

```
hg clone https://bitbucket.org/henning/pyqtermwidget
```

Or just go to the BitBucket overview page: <https://bitbucket.org/henning/pyqtermwidget>

The screenshot shows a window titled "src: (emacs)" containing a terminal session. The terminal displays Python code for creating a tabbed terminal interface using PyQt4 and pyqterm. The code defines a class `TabbedTerminal` that inherits from `QTabWidget`. It includes imports for `sys`, `os`, `QTimer`, `QApplication`, `QTabWidget`, `QPushButton`, and `TerminalWidget` from `pyqterm`. The class has an `__init__` method that initializes the tab position to South and adds a new button to the south area. The button's text is set to "New". The terminal also shows a status line at the bottom indicating "-UUU:----F1 demo.py Top of 2.3k (14,32) Hg-7 (Python)-----". Below the terminal, there are two tabs: "etc: (bash)" and "src: (emacs)". A "New" button is located in the bottom right corner of the window.

```
src: (emacs)
File Edit Options Buffers Tools IM-Python Python Help
1#!/usr/bin/env python
2# -*- coding: utf-8 -*-
3import sys
4import os
5
6from PyQt4.QtCore import QTimer
7from PyQt4.QtGui import QApplication, QTabWidget, QPushButton
8
9from pyqterm import TerminalWidget
10from pyqterm.procinfo import ProcessInfo
11
12
13
14class TabbedTerminal(QTabWidget):
15
16
17    def __init__(self, parent=None):
18        super(TabbedTerminal, self).__init__(parent)
19        self.proc_info = ProcessInfo()
20        self.setTabPosition(QTabWidget.South)
21        self._new_button = QPushButton(self)
22        self._new_button.setText("New")
-UUU:----F1 demo.py Top of 2.3k (14,32) Hg-7 (Python)-----
etc: (bash) ✘ src: (emacs) ✘ New
```

The Python Packaging Index (PyPI) also contains releases: <http://pypi.python.org/pypi/pyqterm>

The generated HTML-documentation is hosted at <http://pyqtermwidget.rtfd.org/> (PDF: <http://media.readthedocs.org/pdf/pyqtermwidget/latest/pyqtermwidget.pdf>).

CHAPTER 4

Indices and tables

- genindex
- modindex
- search